

1	2	3	4	5	6	7	8
---	---	---	---	---	---	---	---

A



H

1	2	3	4	5	6	7	8
---	---	---	---	---	---	---	---

A

B

C

D

E



G



H

	1	2	3	4	5	6	7	8							
A	The product using material and processing must conform to the "W-PZ-001"HSF technical standard control requirements														
B	RoHS														
C															
D															
E															
F															
G															
H	REV.	REVISION RECORD	DATE		GENERAL TOLERANCES		SCALE: 1:1	NAME	DATE	PART.NO:	DWG.NO:				
	A0	NEW RELEASE	22.10.28		LINEAR	ANGLES	APPROVED	Wang_jr	22.10.28	C42013F0-2XX1XXX-M					
					0.0±0.35	X°REF±6°	CHECK	XueZe_Ma	22.10.28	TITLE: Pitch 4.2mm 双排 180° DIP Wafer 空心针					
					UNIT: mm	0.00±0.25	X°±3°	DRAWN	LanXuan_Hou	22.10.28	REV: A0	SHEET: 2/3			
	1	2	3	4	5	6	7	8							

The product using material and processing must conform to the "W-PZ-001"HSF technical standard control requirements



RoHS

2*1P





2*12P

2*2P





2*11P

2*3P





2*10P

2*4P





2*9P

2*5P







2*8P


2*6P






2*7P



30 Trays/Box carton



-Material: $K=K$


$$\frac{A}{4:1}$$

注意事项:

1. 盒装产品四周需用胶纸固定（一盘一盖）；袋装产品封口前需放1-2包干燥剂于内；卷装产品前后需留10-20PCS产品空格。
2. 产品不可少数、多数，方向须一致。
3. 内外包装均需有数量标签，尾数包装需用不影响品质之物品填充并注明尾数。
4. 所有PIN位6盘/捆（用PE膜缠绕），5捆/箱
5. 纸箱规格：39.5X28.5X39.5CM

REV.	REVISION RECORD	DATE		GENERAL TOLERANCES		SCALE: 1:1	NAME	DATE	PART.NO: C42013F0-2XX1XXX-M	DWG.NO: ENDE05	 WanLian Technology Co., Ltd	
A0	NEW RELEASE	22.10.28		LINEAR	ANGLES	APPROVED	Wang_jr	22.10.28				
				0.0±0.35	X*REF±6°	CHECK	XueZe_Ma	22.10.28	TITLE: Pitch 4.2mm 双排 180° DIP Wafer 空心针			
				UNIT: mm	0.00±0.25	X*±3°	DRAWN	LanXuan_Hou		22.10.28		
			SIZE: A4	0.000±0.10	X*X' ±2°						REV: A0	SHEET: 3/3