



Specifications:

Rated Voltage : 50V AC/DC
 Rated Current : 1A AC,DC
 Withstand Voltage : 500V AC/minute
 Contact Resistance : 20mΩ(MAX.)
 Insulation Resistance : 100MΩ(MIN.)
 Temperature Range : -25°C~+85°C
 The product using material and processing must conform to the "WI-PZ-142" HSF technical standard control requirements

Circuits Part No	Dimensions			
	A	B	C	D
2P	1.00	2.40	5.00	3.00
3P	2.00	3.40	6.00	4.00
4P	3.00	4.40	7.00	5.00
5P	4.00	5.40	8.00	6.00
6P	5.00	6.40	9.00	7.00
7P	6.00	7.40	10.00	8.00
8P	7.00	8.40	11.00	9.00
9P	8.00	9.40	12.00	10.00
10P	9.00	10.40	13.00	11.00
11P	10.00	11.40	14.00	12.00
12P	11.00	12.40	15.00	13.00
13P	12.00	13.40	16.00	14.00
14P	13.00	14.40	17.00	15.00
15P	14.00	15.40	18.00	16.00
16P	15.00	16.40	19.00	17.00
17P	16.00	17.40	20.00	18.00
18P	17.00	18.40	21.00	19.00
19P	18.00	19.40	22.00	20.00
20P	19.00	20.40	23.00	21.00
21P	20.00	21.40	24.00	22.00
24P	23.00	24.40	27.00	25.00
30P	29.00	30.40	33.00	31.00

11002H00-NPX-HF-NK

① ② ③④ ⑤ ⑥

- ① Series No.
- ② H90 : Side Contact
H00 : Up Contact
- ③ No. of Circuits
- ④ A: Product color (A--Y)
Blank : Natural type
- ⑤ HF : Halogen Free
- ⑥ Blank: Mark NK: No Mark

Suitable for JCTC 11002 series terminal

Part No.	Material	Color
11002H00-NP	PBT,UL94V-0	Natural(White)
11002H00-NPA	PBT,UL94V-0	Black
11002H00-NPE	Nylon 66,UL94V-0	Yellow
11002H00-NP-HF	Nylon 66,UL94V-0	Natural(White)
11002H00-NPA-HF	Nylon 66,UL94V-0	Black
11002H00-NPC-HF	Nylon 66,UL94V-0	Red

Part No.	Material	Color
11002H00-NP-NK	PBT,UL94V-0	Natural(White)
11002H00-NPA-NK	PBT,UL94V-0	Black
11002H00-NPC-NK	Nylon 66,UL94V-0	Red
11002H00-NPE-NK	Nylon 66,UL94V-0	Yellow
11002H00-NP-HF-NK	Nylon 66,UL94V-0	Natural(White)
11002H00-NPA-HF-NK	Nylon 66,UL94V-0	Black

REV.	REVISION RECORD	DATE	GENERAL TOLERANCES	SCALE:	NAME	DATE	PART. NO.:	DWG. NO.:	JCTC [®] TERMINAL&CONNECTORS	
C3	主体增加“HF”	11.07.19	LINEAR	1:1			11002H00-NPX-XX-XX	ENDE05		
C4	HN1307260122	13.08.06	ANGLES	APPROVED						
C5	更新公司公称	16.12.27	0.0±0.25 X° REF±6°	DESIGNER						
C6	HR2003170045	20.03.17	0.0±0.15 X° ±3°	DRAWN	伍文聪	20.03.17	TITLE:	1.00mm PITCH HOUSING		
			0.000±0.08 X° X'±2°						REV: C6	SHEET: 1/1