



P.C.B LAYOUT
GENERAL TOLERANCES: ±0.05




11007W00-2xNPX-2S-L2-5AE-H1-HF-NK-R
① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨ ⑩ ⑪

- ① Series No.
- ② W90 : Side Contact
W00 : Up Contact
- ③ No. of Circuits
- ④ Color
- ⑤ 2S: SMT TYPE
- ⑥ L2 :With lock
- ⑦ Plating
- ⑧ H1 : H1 Type
- ⑨ HF : Halogen Free
- ⑩ NK : No No Mark
- ⑪ R : Tape & Reel(With Cap)

Specifications
Current Rating: 0.8A AC,DC
Voltage Rating: 50V AC,DC
Temperature Range: -25°C ~ +85°C
Contact Resistance: 20mΩ Max.
Insulation Resistance: 100MΩ Min.
Withstanding Voltage: 250V AC/minute
Cap: Thermal Plasticity Resin, UL 94V-0
The product using material and processing must conform to the "WI-PZ-142"HSF technical standard requirements

Circuits	Dimensions	
	A	B
2X6P	5.00	8.30
2X10P	9.00	12.30
2X15P	14.00	17.30
2X16P	15.00	18.30
2X18P	17.00	20.30
2X20P	19.00	22.30
2X25P	24.00	27.30



Part No.	Insulator	Pin	Solder Tabs
11007W00-2xNPX-2S-L2-5AE-H1-HF-R	PA6T,UL94V-0/Natural	Phosphor Bronze/Gold-flash	Brass/Matter Tin





REV.	REVISION RECORD	DATE	GENERAL TOLERANCES	SCALE:	NAME	DATE	PART. NO.:	DWG. NO.:	 TERMINAL&CONNECTORS
A0	新本图面发行	21.03.17	LINEAR	1:1	罗祖国	21.04.21	11007W00-2xNPX-2S-L2-XX-XX	ENDE05	
			0.0±0.25	APPROVED	陈佳龙	21.04.21			
			0.00±0.15	DESIGNER			TITLE:		
			0.000±0.08	DRAWN	陈佳龙	21.03.17	1.00mm PITCH 180° SMT TYPE WAFER/背面加强		
			UNIT: MM						REV: A0
			SIZE: A4						SHEET: 1/2

1 2 3 4 5 6 7 8

A
B
C
D
E
F
G
H

2X9~2X10 Contacts

2X15~2X25 Contacts



Number of Contacts	W±0.3	F±0.1	S±0.1	Q'ty/Reel	Q'ty/Box
2X9P	24	11.50	--	1,000	1,0000
2X10P	24	11.50	--	1,000	1,0000
2X15P	32	14.20	28.40	1,000	8000
2X16P	32	14.20	28.40	1,000	8000
2X18P	32	14.20	28.40	1,000	8000
2X20P	44	20.20	40.40	1,000	6000
2X25P	44	20.20	40.40	1,000	6000

REV.	REVISION RECORD	DATE	GENERAL TOLERANCES		SCALE:	NAME	DATE	PART. NO.:	DWG. NO.:	 JCTC ® TERMINAL&CONNECTORS	
A0	新图面发行	21.03.17	LINEAR	ANGLES	1:1	罗祖国	21.04.21	11007W00-2xNPX-2S-L2-XX-XX	ENDE05		
			0.0±0.25	X° REF±6°	APPROVED	陈佳龙	21.04.21	TITLE:			
			0.00±0.15	X° ±3°	DESIGNER	陈佳龙	21.03.17	1.00mm PITCH 180° SMT TYPE WAFER/背面加强			
			0.000±0.08	X° X'±2°	DRAWN	陈佳龙	21.03.17			REV: A0	SHEET: 2/2

1 2 3 4 5 6 7 8