





The product using material and processing must conform to the "WI-PZ-001"HSF technical standard control requirements

RoHS+HF



NOTE:
 1.MATERIAL SPECIFICATION:
 1-1.HOUSING: PA66,UL94V-0
 2.MECHANICAL PERFORMANCE:
 2-1.RETENTIVITY FORCE: 0.6KGF/PIN min
 2-2.DURABILITY: 50 CYCLES.
 3.ELECTRICAL PERFORMANCE:
 3-1.CURRENT RATING: 1A
 RATED VOLTAGE : 50V AC/DC
 3-2.CONTACT RESISTANCE: 20 mΩ MAX
 3-3.INSULATION RESISTANCE: 500MΩ Min
 3-4.DIELECTRIC WITHSTANDING : 500V
 4.ENVIRONMENTAL PERFORMANCE:
 4-1.OPERATING TEMPERATURE: -25°C~+85°C.
 5.PACKAGE SPEC: PE BAG
 6.P/N:

A1501 H M-1 XX X 0

SERIES NO: | COLOR:
 | A-BLACK
 | S-NATURE
 CONNECTOR: | PIN Q'PY:
 H-HOUSING | 02~16
 MALE FEMALE: | ROW NO:
 M-MALE | 1-SINGLE ROW


Circuit	Dimensions(mm)			Circuit	Dimensions(mm)		
	A	B	C		A	B	C
02	1.50	3.40	4.50	10	13.50	15.40	16.50
03	3.00	4.90	6.00	11	15.00	16.90	18.00
04	4.50	6.40	7.50	12	16.50	18.40	19.50
05	6.00	7.90	9.00	13	18.00	19.90	21.00
06	7.50	9.40	10.50	14	19.50	21.40	22.50
07	9.00	10.90	12.00	15	21.00	22.90	24.00
08	10.50	12.40	13.50	16	22.50	24.40	25.50
09	12.00	13.90	15.00				

REV.	REVISION RECORD	DATE	UNIT: mm	GENERAL TOLERANCES		SCALE: 1:1	NAME	DATE	PART.NO:	DWG.NO:	WanLian Technology Co., Ltd
A0	NEW RELEASE	22.10.28		SIZE: A4	LINEAR	ANGLES	APPROVED	李松波	25.8.26	A1501HM-1XXX0	
A1	ADD GROOVE VIEW	24.04.08		0.0±0.35	X'REF±6°	CHECK	李松波	25.8.26	TITLE:		
A2	REPLACE THE NEW MOLD	25.08.26		0.00±0.25	X'±3°	DRAWN	黄安娟	25.08.26	Pitch1.50 mm 21单排公胶壳		
				0.000±0.10	X'X' ±2°					REV: A2	SHEET: 1/2



The product using material and processing must conform to the "WI-PZ-001"HSF technical standard control requirements

RoHS+HF



REV.	REVISION RECORD	DATE	 UNIT:mm SIZE: A4	GENERAL TOLERANCES		SCALE: 1:1	NAME	DATE	PART.NO:	DWG.NO:	 WanLian Technology Co., Ltd
A0	NEW RELEASE			LINEAR	ANGLES	APPROVED	3/8/24	25.8.26	A1501HM-1XXX1	ENDE05	
A1	ADD GROOVE VIEW	24.04.08		0.0±0.35	X°REF±6°	CHECK	朱松东	25.8.26	TITLE:		
A2	REPLACE THE NEW MOLD	25.08.26		0.00±0.25	X°X'±3°	DRAWN	黄智明	25.08.26	Pitch1.50 mm 211单排公胶壳		
				0.000±0.10	X°X' ±2°					REV: A2	SHEET: 2/2

1

2

3

4

5

6

7

8